



**DCOM**  
Compressors



**DCOM190/50E**



**DCOM120/100E**  
**DCOM250/200E**



**DCOM250/100P**

Dayliff DCOM compressors are superior quality consumer grade reciprocating type design units for general purpose compressed air applications including garages, pneumatic tools, spray booths, sandblasting etc. Particular features include:-

- Option of petrol engine power or electric motor power. Electric motors are fitted with thermal cutouts for overload protection.
- Reliable high capacity reciprocating single acting air compressor pumps
- High capacity receiver tanks fitted with high pressure safety release valves.
- Pressure switch control for auto start on electric models.
- Wheel mounted for mobility and ease of transportation.

Dayliff DCOM are durable and efficient compressors suitable for all light duty compressed air uses.

**ENGINE SPECIFICATIONS**

Model	DCOM190/50E	DCOM120/100E	DCOM250/200E	DCOM250/100P
<b>Operating Pressure (Bar)</b>	8			
<b>Airflow Capacity (L/min)</b>	192	120	250	
<b>Receiver Capacity (L)</b>	50	100	200	100
<b>Prime Mover</b>	Electric Motor			Engine
<b>Drive</b>	Direct Drive	Indirect, Belt Driven		
<b>Rated Power (HP)</b>	2		3	5.5
<b>Speed (RPM)</b>	2850	980		Variable
<b>Voltage (V)</b>	220-240			N/A
<b>Air Outlets (No.)</b>	1	2		
<b>Pump Head Material</b>	Aluminium	Iron		
<b>Wheels (No.)</b>	2	4		
<b>Dimensions (LxWxH)mm</b>	680	1090	1280	1090
	310	365	450	365
	660	780	910	790
<b>Weight (Kg)</b>	22	58	88	64

